

فرم شماره ۴: معاینات چشم

(این فرم توسط چشم پزشکی پر می شود)

- Lid/ Orbit:
 - NLD/ common Canalicular Obstruction:
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - Ptosis:
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - Ectropion/ Entropion:
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - Mass (suspicious malignancy):
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - Dry eye (based on tear meniscus, TBUT, Schirmer)
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
- Extraocular muscles:
 - Nystagmus:
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - Exotropia:
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - Intermittent: 1. No 2. Yes
 - Esotropia:
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - Intermittent: 1. No 2. Yes
- Conjunctiva:

- Pterygium:
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - OU: 1. No 2. Yes
- Nevous:
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - OU: 1. No 2. Yes
- CIN/ SCC/ mass (suspicious malignancy):
 - OD: 1. No 2. Yes
 - OS: 1. No 2. Yes
 - OU: 1. No 2. Yes
- Cornea:
 - OD:
 - Description:

1. Clear	2. Diffuse opacity	3. Localized opacity
4. Arcus	5. Thinning	6. Edema
	7. Vascularisation	
	8. Others	
 - Diagnosis:
 1. Infectious Keratitis:
 - 1. Herpetic 2. Trachoma 3. Others
 2. Ectatic diseases:
 3. Dystrophic diseases:
 4. Degenerative diseases:
 5. Others:
 - OS:
 - Description:

1. Clear	2. Diffuse opacity	3. Localized opacity
4. Arcus	5. Thinning	6. Edema
	7. Vascularisation	
	8. Others	
 - Diagnosis:
 1. Normal
 2. Infectious Keratitis:

- 1. Herprtic 2. Trachoma 3.Others
 - 3. Ectatic diseases:
 - 4. Dystrophic diseases:
 - 5. Degenerative diseases:
 - 6. Others:
 - Angle:
 - OD:
 - Open
 - Occludable
 - Closed
 - OS:
 - Open
 - Occludable
 - Closed
 - IOP:
 - OD:mmHg
 - OS:mmHg
 - RAPD:
 - OD: 1. Negative 2. Positive
 - OS: 1. Negative 2. Positive
 - Red Reflex:
 - OD: 1.good 2. Fair 3.Poor
 - OS: 1.good 2. Fair 3.Poor
 - Lens:
 - OD: 1. Clear 2. Cataract 3. Psudophakic 4.Aphakic
 - OS: 1. Clear 2. Cataract 3. Psudophakic 4.Aphakic
 - Vitreous:
 - OD: 1. Clear 2. Hemorrhage 3. Vitritis
 - OS: 1. Clear 2.Hemorrhage 3. Vitritis
 - Optic disc:
 - Description:
 - OD: 1. Normal 2.high C/D ratio (>4/10) 4. Blurred/ edema
5. Atrophic
 - OS: 1. Normal 2.high C/D ratio (>4/10) 4. Blurred/ edema
5. Atrophic

- Diagnosis:
 - OD: 1. Normal 2. Glaucoma suspect 3. Atrophy 4. AION
5. Pupilledema 6. Others
 - OS: 1. Normal 2. Glaucoma suspect 3. Atrophy 4. AION
5. Pupilledema 6. Others

- Macula:
 - Description:
 - OD: 1. Normal 2. Edema 3. Pigmentary changes
4. Drusen 5. CNV 6. Others
 - OD: 1. Normal 2. Edema 3. Pigmentary changes
4. Drusen 5. CNV 6. Others
 - Diagnosis:
 - OD: 1. Normal 2. CSME 3. CSR 4. Dry type AMD
5. Wet type AMD 6. Others:
 - OS: 1. Normal 2. Edema 3. CSME 4. Dry type AMD
5. Wet type AMD 6. Others:

- Retina:
 - Description:
 - OD: 1. Normal 2. Hemorrhage 3. Chorioretinal atrophy
4. Break 5. RD 7. Laser scar 8. Others:
 - OS: 1. Normal 2. Hemorrhage 3. Chorioretinal atrophy
4. Break 5. RD 7. Laser scar 8. Others:
 - Diagnosis:
 - OD: 1. Normal 2. NPDR 3. PDR 4. Regressed PDR
5. BRVO 6. CRVO 7. Myopic 8. Chorioretinitis
9. RRD (current/previous) 10. Others:
 - OS: 1. Normal 2. NPDR 3. PDR 4. Regressed PDR
5. BRVO 6. CRVO 7. Myopic 8. Chorioretinitis
9. RRD (current/previous) 10. Others

Assessment:

1. Normal

2. Refractive error
3. Stable pathology without need to intervention:
.....
4. Active pathology needing intervention:
.....

Plan:

1. Follow up according to the study protocol without any other comments
2. Follow up according to the study protocol with:
 - a. Prescribing eyeglasses
 - b. Educating the patient regarding:
 - i. Lid hygiene
 - ii. Risk of RRD
 - iii. Others:
3. Referring the patient for surgery
4. Referring the patient for subspecialty consult/ more tests
5. Recommending closer follow ups

Physician name:

Signature: